

*better AIRFLOW by DESIGN™*

**MODEL: DSF DESTRATIFICATION FANS**

DSF destratification fans are designed to reduce hot and cold spots through the mixing of air in large spaces, resulting in significantly reduced energy costs and increased comfort. They are available in 10”, 12”, & 14” fan sizes.

DIMENSIONS IN INCHES							
MODEL	CFM	A	B	C	D	E	SHIP WT (lbs)
DSF250	420	15.2	20.2	15.2	10.2	13.4	14.0
DSF300	1055	17.3	23.9	17.9	12.2	15.4	19.0
DSF350	1460	19.2	27.3	20.3	14.2	17.4	24.0

**CONSTRUCTION**

- Steel housing with corrosion resistant finish
- Rotating mounting brackets
- Capacities up to 1,460 cfm
- Available in 10”, 12” and 14” fan sizes

**MOTOR**

- Durable “external rotor” design
- Ball bearings, permanently lubricated
- 120V, 60 Hz operation
- IP24 protection
- Automatic reset thermal overload protection
- Speed controllable

PROJECT					ARCHITECT			
DATE					ENGINEER			
SUBMITTED BY					CONTRACTOR			
SPECIFICATION								
FAN NO.	MODEL NO.	CFM	IN. WG	VOLTS	WATTS	AMPS	QTY	OPTIONAL EQUIPMENT